

地址：浙江省义乌市佛堂镇双林路888号
Address: No. 888 Shuanglin Road, Fotang Town, Yiwu City, Zhejiang Province

电话(Tel): 0579-89906288
网址(Web): www.weitechina.cn
www.weitelift.com
电子邮箱(E-mail): weite@weitelift.com

全国免费服务热线
National Free Service Hotline

400-161-1968

威特电梯有限公司
WEITE ELEVATOR CO., LTD.



VILLA ELEVATOR

HIGH GRADE TAILOR-MADE

別墅电梯 高端定制



WEITE
— 威 特 电 梯 —

Superior elevators are made
By weite elevator company

品质电梯 威特制造

威特电梯成立于2002年，地处浙江省义乌市佛堂镇，是一家集电梯设计、制造、安装、改造及维护保养为一体的专业电梯生产企业。

威特电梯拥有六万余平方米的生产基地，融合工业4.0智能生产理念，打造现代化、科学化的制造基地，现年产能达15000台，产品类型全面覆盖城市建设发展需求。

威特电梯发展至今，建立了一支懂技术、会管理、善经营的精干队伍。成立产学研平台，与华中科技大学、西安电子科技大学等高校建立技术依托关系，并于2008年与德国威特电梯技术发展有限公司达成深度合作，为企业发展提供强大的科技力量支撑。威特电梯先后被评为“浙江省科技型中小企业”和“国家高新技术企业”，并于2018年成功申请浙江省院士专家工作站。

威特电梯积极响应国家“一带一路”发展政策，深耕中国市场，同时进行全球化战略布局，先后获得CE认证及EAC认证，公司产品远销欧洲、北美洲、南美洲、非洲、中东、东南亚、中亚等多个国家和地区。

立足中国，服务全球！威特电梯用高端品质与贴心服务，制建筑灵动符号，造全球楼宇交通。

Founded in 2002, WEITE ELEVATOR is located in Fotang Town, Yiwu, Jinhua, Zhejiang, China. It is a specialized elevator manufacture enterprise that integrates the elevator design, manufacture, installation, transformation, repair and maintenance into one.

WEITE ELEVATOR owns over 60,000 square meters of the production base. It combines with industrial 4.0 smart manufacture concept. It constructs a modern and scientific manufacture base. At present, it annually produces 15,000 sets of various elevators. The product categories comprehensively cover urban construction development requirements.

Up to now, WEITE ELEVATOR establishes a group of skillful and proficient teams with high tech and fine management. It sets up production-study-research platforms. It establishes the technical cooperation relationships with Huazhong University of Science and Technology, Xidian University etc. In 2008, it fulfilled in-depth cooperation with German WEITE ELEVATOR Technology Developing Co., Ltd. It offers the powerful technological support for business growth. WEITE ELEVATOR has been successively appraised as "Small & Medium High-Tech Enterprise in Zhejiang Province", "The National High & New Tech Enterprise". In 2018, it successfully applied for "Academician Specialist Work-Station in Zhejiang Province".

WEITE ELEVATOR actively responds the national developing policy of the Belt and Road Initiatives. It deeply cultivates the Chinese markets. Meanwhile, it gets the global strategic layout. It has successively got CE and EAC certifications. We sell the products far and wide including Europe, North America, South America, Africa, the Middle East, Southeast Asia, Central Asia and so on.

It has a firm foothold in China and serves global markets. WEITE ELEVATOR builds up global building traffic by the superior quality and considerate services. It creates a magical note in vast buildings.

60000m² 投入使用面积
60000m² of usable area

15000台 年产能
Annual production capacity
of 15000 units

14条 自动化生产线
14 automated production lines

110M 试验塔高
110m test tower height




唤醒 · 美好生活

Awaken · Happy Life

Exclusive
Configuration

尊享配置



节能主机

Energy saving host

新一代节能主机，专为别墅电梯设计，传动效率高，能耗低，运行时声级响应≤40dB。

A new generation of energy-saving host, specially designed for villa elevators, has high transmission efficiency, low energy consumption, and a sound level response of ≤ 40dB during operation.

智能门机

Smart door machine

智能化自适应变频门机系统，以64位微机控制系统进行全数字化操作，全面提升门机响应速度，确保门机安全平稳工作。

Intelligent adaptive frequency converter door machine system, with 64-bit microcomputer control system for fully digital operation, comprehensively improve the door machine response speed, ensure the door machine safe and smooth work.

控制柜

Control cabinet

超薄设计，一体两用，可隐藏安装，让您拥有更精致美观的电梯。
TUV认证、SIL3等级无接触器控制技术，使运行音量 < 45分贝，让您畅享安静的家居生活。
卓越的家用梯驱动科技，彻底解决舒适感难题，为您创造最舒适美好的乘行体验。
融合多重防困人方案，让您里里外外都放心。

Super-thin design brings about dual-purpose for one machine. It can have hidden installation. It lets you possess the more delicate and attractive elevators.
TUV certification, SIL3 grade non-contact technology supply less than 45-decibel of running noise. It lets you fully enjoy a peaceful home life.
Outstanding home elevator drive technology thoroughly solves the problems to comfortable travel. It creates a most happy and comfortable travel experience for you.
It combines with multiple anti-trapping plans. You can be rest assured at travelling our elevators.



Diverse layout type

多样化布置方式

龙门架结构

Gantry frame structure

曳引驱动方式

灵敏便捷、运行平稳舒适

Traction drive mode

Sensitive and convenient, running smoothly and comfortably

平台梯背包架结构

Platform elevator backpack frame structure

极致节省空间，释放建筑潜力

安装灵活便捷，适应性强

It saves space and releases the building potentials.
Prompt; flexible and convenient installation, strongly adaptive

强驱式结构

Strong drive structure

没有对重平衡装置，井道占用空间小

噪音小，节能环保

No counterweight balancing device, small well covering space
Low noise, energy-saving and environment-protection

适合场所


Applicable occasions

以下5种楼房结构可安装我们的产品

Our villa lift is applicable for below 5 occasions

②③④⑤场合需要加装电梯使用的井道，客户也可以根据自己喜好采用金属框架或混凝土等材料自建井道。

② ③ ④ ⑤ occasions have to install a shaft firstly. The customer can use steel frame shaft or build a concrete shaft as per their preferences.



1

楼房有专用电梯井道，电梯可以直接安装在专用井道内


Building with special elevator hoistway, The elevator can be installed directly in the special hoistway



2

环绕楼梯中间有合适空间，在中间加装井道安装电梯

There is a space around the stairs, Installation of hoistway elevator in the middle



3

有中空的大厅或房间，在大厅或房间加装井道安装电梯


A hollow hall or room, Install elevator in the lobby or room



4

楼房内没有合适空间电梯只能安装在室内，在楼板开出合适的孔加装井道安装电梯

There is no suitable space in the building, elevator can only be installed indoor, make a appropriate hole in the floor and install the elevator



5

楼房外没有合适空间在允许情况下，在室外加装井道安装电梯

Install elevator outdoor



Car decoration

别墅梯轿厢装潢

极简主义美学
极致质感生活
在简洁中呈现空间的纯粹与高雅

Concise aesthetics
High quality life
Purely simple and elegant space



WT-J2501A

标配 Standard

吊顶：
一体式，镜面不锈钢，亚克力灯饰，LED筒灯

轿壁：
发纹不锈钢，镜面不锈钢，抗指纹

地板：
PVC/大理石

Ceiling:
Integrated, hairline stainless steel, acrylic
lighting decoration, LED downlights

Cabin wall:
Hairline stainless steel, mirror stainless steel,
anti-Fingerprint

Floor:
PVC/marble






WT-J2501B 标配 Standard

吊顶：镜面不锈钢，亚克力透光板，LED筒灯
轿壁：发纹不锈钢，镜面蚀刻不锈钢，镜面不锈钢
地板：PVC/大理石

Ceiling: Mirror stainless steel, acrylic light-emitting panel, LED downlight
Car Wall: Hairline stainless steel, mirror etched stainless steel, mirror stainless steel
Floor: PVC/marble



WT-J2501C 标配 Standard

吊顶：镜面不锈钢，环形灯
轿壁：发纹不锈钢，镜面蚀刻不锈钢
地板：PVC/大理石

Ceiling: Mirror stainless steel, ring Light
Cabin wall: Hairline stainless steel, mirror etched stainless steel
Floor: PVC/marble



WT-J2514 选配 Optional

吊顶：烤漆钢板，镜面不锈钢，暗藏灯带，LED筒灯
轿壁：发纹不锈钢，发纹蚀刻不锈钢，暗藏灯带
地板：PVC/大理石

Ceiling: Painted steel plate, mirror stainless steel, hidden light strip, LED downlight
Cabin wall: Hairline stainless steel, hairline etched stainless steel, hidden light strip
Floor: PVC/marble



WT-J2515 选配 Optional

吊顶：发纹不锈钢，LED灯带，LED筒灯
轿壁：镜面不锈钢，化妆钢板，暗藏灯带
地板：PVC/大理石

Ceiling: Hairline stainless steel, LED light strip, LED downlight
Cabin wall: Mirror stainless steel, make-up steel plate, hidden light strip
Floor: PVC/marble



WT-J2502

选配 Optional

吊顶：一体式，玫瑰金镜面不锈钢，LED筒灯

轿壁：中间玻璃，两侧玫瑰金发纹不锈钢，古铜发纹不锈钢，玫瑰金发纹不锈钢

地板：PVC/大理石

Ceiling: Integrated, rose gold mirror stainless steel, LED downlights,
Cabin wall: With glass in the middle and rose gold hairline stainless
steel on both sides, bronze hairline stainless steel, rose gold hairline stainless steel
Floor: PVC/marble



WT-J2516

选配 Optional

吊顶：不锈钢喷砂，亚克力灯饰，LED射灯

轿壁：镜面不锈钢，彩纹钢板爱马仕橙，彩纹钢板

地板：PVC/大理石

Ceiling: Stainless steel sandblasting, acrylic lighting decoration, LED spotlights
Cabin wall: Mirror stainless steel, color steel plate Hermes orange, color steel plate
Floor: PVC/marble



WT-J2503

选配 Optional

吊顶：正白艺钢板，香槟金饰框，LED筒灯，暗藏灯带

轿壁：黄白橡艺术钢板，白金砂艺术钢板，暗藏灯带，本色镜面不锈钢，

地板：PVC/大理石

Ceiling: White steel art panel, champagne gold trim, LED downlights, hidden light strip
Cabin wall: Yellow and white oak art steel plate, platinum sand art steel plate, hidden
light strip, natural color mirror stainless steel
Floor: PVC/marble



WT-J2517

选配 Optional

吊顶：镜面不锈钢，亚克力灯饰，LED筒灯

轿壁：木纹化妆钢板，镜面不锈钢

地板：PVC/大理石

Ceiling: Mirror stainless steel, acrylic lighting decoration, LED downlights
Cabin wall: Wood-grain make-up steel plate, mirror stainless steel
Floor: PVC/marble



WT-J2518 选配 Optional

吊顶：钢板烤漆，古铜包边，暗藏灯带，筒灯
轿壁：古铜发纹不锈钢，古铜镜面不锈钢，线条灯带
地板：PVC/大理石
Ceiling: Painted steel plate, bronze-colored edge coating, hidden light strip, downlight
Cabin wall: Bronze hairline stainless steel, bronze mirror stainless steel, line light strips
Floor: PVC/marble



WT-J2504 选配 Optional

吊顶：一体式，白色钢板，筒灯，灯带
轿壁：深灰钛发纹不锈钢，黑钛发纹不锈钢，灯带，黑钛镜面不锈钢
地板：PVC/大理石
Ceiling: Integrated design, white steel plate, downlight, LED strip
Cabin wall: Dark gray titanium hairline stainless steel, black titanium hairline stainless steel, light strip, black titanium mirror stainless steel
Floor: PVC/marble



WT-J2519 选配 Optional

吊顶：钢板烤漆，钛金不锈钢圈边，筒灯，暗藏灯带
轿壁：钛金发纹不锈钢，黑钛镜面不锈钢，岩板，暗藏灯带
地板：PVC/大理石
Ceiling: Painted steel plate, titanium gold stainless steel trim, downlight, hidden light strip
Cabin wall: Titanium gold hairline stainless steel, black titanium mirror stainless steel, rock plate, hidden light strip
Floor: PVC/marble



WT-J2520 选配 Optional

吊顶：玫瑰金镜面不锈钢，亚克力灯饰，LED筒灯
轿壁：玫瑰金发纹不锈钢，玫瑰金镜面蚀刻不锈钢，暗藏灯带
地板：PVC/大理石
Ceiling: Rose gold mirror stainless steel, acrylic lighting decoration, LED downlights
Cabin wall: Rose gold hairline stainless steel, rose gold mirror etched stainless steel, hidden light strip
Floor: PVC/marble



WT-J2506

选配 Optional

吊顶：琉璃顶
轿壁：全铝合金边框，鱼肚白蜂窝大板
地板：PVC/大理石
Ceiling: Colored glaze ceiling
Cabin wall: Full aluminum alloy frame, Ivory white honeycomb plate
Floor: PVC/marble



WT-J2507

选配 Optional

吊顶：星空顶
轿壁：亚黑烤漆玻璃，苹果砂不锈钢框架，暖白烤漆玻璃暗藏苹果砂扶手，暗藏灯带
地板：PVC/大理石
Ceiling: Starry Sky Ceiling
Cabin wall: Satin black painted glass, apple sandblasted stainless steel frame, hidden apple-sand handrail with warm-white painted glass, hidden light strip
Floor: PVC/marble



WT-J2508

选配 Optional

吊顶：钢板烤漆，亚克力，古铜不锈钢圈边，暗藏灯带
轿壁：木纹化妆钢板，白色化妆钢板
地板：PVC/大理石
Ceiling: Painted steel plate, acrylic, bronze stainless steel trim, hidden light strip
Cabin wall: Wood-grain make-up steel plate, white painted steel plate
Floor: PVC/marble



WT-J2509

选配 Optional

吊顶：钢板烤漆，香槟金不锈钢圈边，筒灯，暗藏灯带
轿壁：玫瑰金镜面蚀刻不锈钢，玫瑰金发纹不锈钢
地板：PVC/大理石
Ceiling: Painted steel plate with champagne gold stainless steel trim, downlight, hidden light strip
Cabin wall: Rose gold mirror-finished stainless steel, rose gold mirror-finished stainless steel
Floor: PVC/marble

Car selection

常规观光别墅梯轿厢装潢



轻奢空间，金色梦境，邂逅星空
开启一场高贵、奢华、浪漫之旅

Light deluxe space, golden starry dream, a noble
Romantic and luxurious journey



WT-J2521 选配 Optional

吊顶：
钛金不锈钢，暗藏灯带

轿壁：
钛金不锈钢，钢化夹胶玻璃

地板：
PVC/大理石

Ceiling：
Titanium stainless steel, hidden light strip

Car wall：
Titanium stainless steel, tempered laminated glass

Floor：
Floor: PVC/marble





WT-J2522 选配 Optional

吊顶: 铝合金星空顶, 氛围灯
轿壁: 铝合金 (香槟金), 钢化夹胶玻璃
地板: PVC/大理石

Ceiling: Aluminum alloy starry sky ceiling, ambiance lighting
Cabin wall: Aluminum alloy (champagne gold), tempered laminated glass
Floor: PVC/marble



WT-J2511 选配 Optional

吊顶: 铝合金星空顶, 星空顶, 氛围灯
轿壁: 铝合金 (玫瑰金), 钢化夹胶玻璃
地板: PVC/大理石

Ceiling: Aluminum alloy starry sky ceiling, starry sky ceiling, ambiance lighting
Cabin wall: Aluminum alloy (rose gold), tempered laminated glass
Floor: PVC/marble



WT-J2510 选配 Optional

吊顶: 铝合金围边, 水波纹板
轿壁: 铝合金 (钻石黑), 钢化夹胶玻璃
地板: PVC/大理石

Ceiling: Aluminum alloy trim, ripple panel
Cabin wall: Aluminum alloy (diamond black), tempered laminated glass
Floor: PVC/marble



WT-J2523 选配 Optional

吊顶: 炫彩琉璃吊顶, 铝合金边框
轿壁: 铝合金 (雾霾蓝灰), 钢化夹胶玻璃
地板: PVC/大理石

Ceiling: Colorful glazed ceiling, aluminum alloy frame
Cabin wall: Aluminum alloy (haze blue gray), tempered laminated glass
Floor: PVC/marble

Car type platform elevator
轿厢式平台梯



WT-J2512 选配 Optional

吊顶：铝合金围边，亚克力发光板
轿壁：高品质岩板（暮雪），安全钢化玻璃
地板：高品质岩板（暮雪）
Ceiling: Aluminum alloy trim, acrylic light panel
Cabin wall: High-quality stone panel (Evening Snow), safety tempered glass
Floor: High-quality stone panel (Evening Snow)



WT-J2513 选配 Optional

吊顶：铝合金围边，水波纹板，灯带
轿壁：高品质岩板（宝格丽蓝），安全钢化玻璃
地板：高品质岩板（宝格丽蓝）
Ceiling: Aluminum alloy trim, wave pattern, light strip
Cabin wall: High-quality stone panel (Bulgari Blue), safety tempered glass
Floor: High-quality stone panel (Bulgari Blue)



WT-J2525 选配 Optional


吊顶：镜面不锈钢，LED筒灯
轿壁：岩板
地板：岩板
Ceiling: Mirror stainless steel, LED tube light
Cabin wall: Rock plate
Floor: Rock plate



WT-J2526 选配 Optional


吊顶：镜面不锈钢，LED筒灯
轿壁：岩板
地板：岩板
Ceiling: Mirror stainless steel, LED tube light
Cabin wall: Rock plate
Floor: Rock plate

L type platform elevator
L型平台梯



WT-J2527

暮雪
Evening Snow




WT-J2528

寒江雪
Cold River Snow



WT-J2529

软包
Soft Pack



WT-J2530

软包
Soft Pack

Aluminum alloy shaft frame

铝合金井架

铝合金框架优势：


Advantages of aluminum alloy frame:

1. 选用工业铝合金，框架结构紧凑，节约井道面积
2. 以层高设计铝合金接口，隐藏式截面接口处理，内侧无连接件及螺栓，框架无痕美观
3. 搭配同色系铝合金门板，整体无色差，浑然一体


1. Choose industrial aluminum alloy, compact frame structure, and save shaft area
2. The aluminum alloy interface is designed with a high floor height, and the concealed section interface is processed. There are no connecting parts or bolts on the inner side, and the frame is seamless and aesthetically pleasing
3. Paired with aluminum alloy door panels of the same color scheme, the overall color is seamless and seamless

铝合金框架玻璃材质


Aluminum alloy frame glass material



透明玻璃
Transparent glass



磨砂玻璃
Frosted glass




灰色玻璃
Grey glass




茶色玻璃
Tea colored glass




炫彩金
Colorful Gold




香槟金
Champagne Gold




仿古铜
Antique copper






钻石黑
Diamond black



暖光白
Warm Light White




玫瑰金
Rose gold



Human machine interface

人机界面



WT-W02A

标配 Standard
无底盒外呼
材质: 玻璃面板
显示: 单色液晶

Wall mounted hall call box
Material: Glass panel
Display: LCD display



WT-W04

标配 Standard
无底盒外呼
材质: 玻璃面板
显示: 白色点阵


Wall mounted hall call box
Material: Glass panel
Display: White dot matrix



WT-CJ01

标配 Standard
分体式操纵箱
材质: 发纹不锈钢
显示: 7寸TFT显示屏

Split type control box
Material: Hairline stainless steel
Display: 7-inch TFT display screen



WT-NCJ02

选配 Optional
分体式操纵箱
材质: 玻璃面板
显示: 4.3寸黑底白字
按钮: 机械按钮


Split type control box
Material: Glass panel
Display: 4.3-inch black-background white-characters
Press-button: Mechanical button



WT-CJ12

选配 Optional
材质: 玻璃面板
显示: 真彩显示
按钮: 触屏按钮

Material: Glass panel
Display: TFT LCD display
Button: Touch screen buttons



WT-CJ04

选配 Optional
材质: 玻璃面板
显示: 真彩显示
按钮: 机械按钮

Material: Glass panel
Display: TFT LCD display
Button: Mechanical button



WT-W05

选配 Optional
无底盒外呼
材质: 玻璃面板
显示: 白色点阵


Wall mounted hall call box
Material: Glass panel
Display: White dot matrix



WT-W06

选配 Optional
无底盒外呼
材质: 玻璃面板
显示: 单色液晶

Wall mounted hall call box
Material: Glass panel
Display: LCD display




WT-CJ08

选配 Optional

壁挂式操纵箱
触摸式按钮
材质: 黑色玻璃面板
显示: 7寸TFT显示屏 (横显)

Wall-mounted operation box
Touch button
Material: Black glass panel
Display: 7-inch TFT display screen (landscape display)




WT-CJ2509

选配 Optional

壁挂式操纵箱
触摸屏按钮
材质: 玻璃面板
显示: 10.1寸TFT显示屏

Wall-mounted operation box
Touch screen buttons
Material: Glass panel
Display: 10.1-inch TFT display screen




WT-CJ10

选配 Optional

壁挂式操纵箱
触摸屏按钮
材质: 白色玻璃面板
显示: 13寸视频机

Wall-mounted operation box
Touch screen buttons
Material: White glass panel
Display: 13 inch multimedia video



WT-W07

选配 Optional

无底盒外呼
材质: 玻璃面板
显示: 黑底白字、蓝底白字可选 (段码)

Wall mounted hall call box
Material: Glass panel
Display: Optional black-background white-characters, blue-background white-characters (segment)



WT-W08

选配 Optional

无底盒外呼
材质: 玻璃面板
显示: 单色液晶

Wall mounted hall call box
Material: Glass panel
Display: LCD display



WT-W09

选配 Optional

无底盒外呼
材质: 玻璃面板
显示: 单色液晶

Wall mounted hall call box
Material: Glass panel
Display: LCD display



WT-W10

选配 Optional

无底盒外呼
材质: 玻璃面板
显示: 单色液晶

Wall mounted hall call box
Material: Glass panel
Display: LCD display



WT-W11

选配 Optional

无底盒外呼
材质: 玻璃面板
显示: 白色点阵

Wall mounted hall call box
Material: Glass panel
Display: White dot matrix

Landing door
series

厅门 系列



WT-M2504

镜面不锈钢蚀刻
Mirror etched
stainless steel



WT-M2505

镜面不锈钢蚀刻
Mirror etched
stainless steel



WT-M2506

黑钛不锈钢蚀刻
Black titanium
stainless steel etched



WT-M2507

古铜发纹不锈钢
Bronze hairline
stainless steel



WT-M2508

古铜镜面不锈钢蚀刻
Bronze mirror stainless
steel etched



WT-M2509

古铜不锈钢蚀刻
Bronze
stainless steel etched



WT-M2510

玫瑰金镜面不锈钢蚀刻
Rose gold mirror
stainless steel etched



WT-M2511

玫瑰金镜面不锈钢蚀刻
Rose gold mirror
stainless steel etched




WT-M2512

黑钛不锈钢蚀刻
Black titanium
stainless steel etched



WT-M2513

香槟金镜面不锈钢蚀刻
Champagne gold mirror
stainless steel etched




WT-M2514

香槟金镜面不锈钢蚀刻
Champagne gold mirror
stainless steel etched


Door opening type

开门方式


多种开门方式，适配不同品味生活
Multiple door opening types for different grade life




中分式
Center opening type




中分双折式
Center opening double-folded type




旁开式
Side opening type




手拉式
Hand-pulled type




直角开门
Right-angle door



三边开门
Three sides door



自动单侧平开
Automatic single side horizontal opening



自动中分平开
Automatic center opening

Ceiling selection 吊顶选型




WT-JD15

铝合金边框，亚克力
Aluminum alloy frame, acrylic



WT-JD16

不锈钢，灯带
Stainless steel, light strip



WT-JD18

铝合金框架，镜面水波纹，灯带
Aluminum alloy frame, mirror water-wave patterned, light strip




WT-JD19

星空顶
Starry sky ceiling



WT-JD20

谍影顶
Spy shadow ceiling



WT-JD23

深渊顶
Abysm-style ceiling

Floor selection 地板选型

大理石 Marble



WT-JF21

WT-JF22

WT-JF23

WT-JF24

编织地毯 Woven carpet



WT-JF25

WT-JF26

WT-JF27

Function table

功能表

全面保护
Full protection

关门时间保护 Close time protection	上下极限保护装置 Up and down limit protection device	楼层位置自动校正 Automatic floor position correction
外召按钮嵌入自诊断 Hall call button embedded self-diagnosis	门过负载保护功能 Door overload protection function	无呼自返基站功能 Return to base station without call
轿内紧急照明 Emergency lighting in the car	速度检出装置 Speed detection device	待梯层设定 Set lift waiting floor
故障低速自救功能 Fault low-speed self-rescue	超载不启动(警示灯及蜂鸣器) Overload stop running(Caution light and buzzer)	集选控制 Collective control
限位保护 Limit protection	电网电压波动检测功能 Wave detection of gridvoltage	自动开关门(自动门Automatkdoor) Door open and close automatically
防打滑保护 Prevent slipping protection	门区外不能开门 Door not open out of door zone	预转矩输出 Pre-torquo output
光幕门保护装置 The screen door protection device	驱动设备过热保护 Driven equipment overheating protection(OHT)	满载不停梯 Full-load direct running(LNS)
安全回路保护 Safety circuit protection	抱闸检测保护 Brake detection protection	井道自学习 Hoistway self-learning
轿顶与控制柜紧急电动运行 Car top and control cabinet emergency electric operation	电动松闸 Electric release of the brake	
门连锁保护 Door interlock protection	逆向运行保护 Reverse operation protection	

安全升级保护
Security upgrade protection

停电应急平层(ARD) Automatic rescue device
端站换速及楼层号校正 End station for speed and floor number correction
故障自动检测功能 Fault automatic diagnosis
困人主动监测系统 Trapped person active monitoring system
钢带断带检测 Steel belt breakage detection
锁梯增设 Add lock elevator
童锁开关 Child lock switch
智能IC卡 Intelligent IC card
浸水智能检测系统 Water immersion intelligent detection system
室内门锁联动系统 Trapped person active monitoring system

舒适乘行
Comfortable ride

开、关门按钮(自动门Automatic door) Open and close button
本层外召开门(自动门Automatic door) Hall calls door opening
重复关门(自动门Automaticdoor) Repeated closing door
轿内通风自动及照明自动控制功能 Automatic ventilation and lighting ofautomatic control in car
空调调温 Air conditioning temperature regulating
电梯空气净化 Elevator air purification
高级香氛智能控制系统 Advanced fragrance intelligent control system
进口皮革 Exotic leather
顶级材料装饰限定定制 Exclusive customization with top-quality materials


智联梯控
IIEC

- 语音呼梯
Voice call elevator
- 手势呼梯
Gestures hall
- 氛围灯系统
Atmosphere light system
- 语音识别系统
Speech recognition system
- 情景模式
Scene mode
- 电梯远程监控
Elevator remote control

可选功能
Optional function


Construction layout drawing and parameters

土建图及参数表




钢丝绳侧置轿底轮

Steel wire Rope at side and Pulley at Cabin Bottom



钢丝绳侧置轿顶轮


Steel wire Rope at side and Pulley at Cabin top



钢丝绳后置轿顶轮


Steel wire Rope at rear side and Pulley at Cabin top

	钢丝绳侧置轿底轮				钢丝绳侧置轿顶轮				钢丝绳后置轿顶轮			
	Steel wire Rope at side and Pulley at Cabin Bottom				Steel wire Rope at side and Pulley at Cabin top				Steel wire Rope at rear side and Pulley at Cabin top			
额定载重Load(kg)	320	400	320	400	320	400	320	400	320	400	320	400
乘客人数Persons	4	5	4	5	4	5	4	5	4	5	4	5
额定速度(m/s)	0.4		0.4		0.4		0.4		0.4		0.4	
开门方式Door Type	中分2PCO		旁开2PSO		中分2PCO		旁开2PSO		中分2PCO		旁开2PSO	
开门尺寸Door (W*H)	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000
井道净尺寸Shaft Net Size(W*D)	1600×1520	1800×1520	1600×1600	1800×1600	1560×1520	1760×1520	1560×1600	1760×1600	1560×1720	1750×1720	1370×1800	1570×1800
轿厢净尺寸(一体式吊钩)Cabin Dimension(W*D*H)	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200
顶层高度 OH	2900				3200				3200			
底坑 Pit Depth	500				200				500			




钢丝绳导轨中心轿底轮

Steel wire Rope,Pulley at cabin bottom and at center of guiderail



钢带导轨中心轿底轮

Steel Belt Rope,Pulley at cabin bottom and at center of guiderail



平台梯

Traction Platform Lift

	钢丝绳导轨中心轿底轮				钢带导轨中心轿底轮				平台梯			
	Steel wire rope,pulley at cabin bottom and at center of guiderail				Steel belt rope,pulley at cabin bottom and at center of guiderail				Traction platform lift			
额定载重Load(kg)	320	400	320	400	320	400	320	400	320	400	320	400
乘客人数Persons	4	5	4	5	4	5	4	5	4	5	4	5
额定速度(m/s)	0.4		0.4		0.4		0.4		0.3		0.3	
开门方式Door Type	中分2PCO		旁开2PSO		中分2PCO		旁开2PSO		自动平开门Automatic swing door		手拉门Manual swing door	
开门尺寸Door (W*H)	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000	700×2000	800×2000
井道净尺寸Shaft Net Size(W*D)	1570×1520	1770×1520	1570×1600	1770×1600	1600×1520	1800×1520	1600×1600	1800×1600	1250×1335	1350×1335	1250×1335	1350×1335
轿厢净尺寸(一体式吊钩)Cabin Dimension(W*D*H)	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1000×1250×2200	1200×1250×2200	1100×900×2200	1200×900×2200	1100×900×2200	1200×900×2200
顶层高度 OH	2900				2900				2750			
底坑 Pit Depth	500				500				100			